



# RoadFlair – Sleek and superior Beyond anticipation

## RoadFlair

Designed for major and city roads, Philips RoadFlair is a new and exciting product set to brighten your streets beyond imagination. Smartly-designed to bring cities the highest savings possible with best-in-class lumen per watt, this road lighting production comes at a competitive price bound to excite. Philips RoadFlair brings energy efficiency, improves a city's sustainability drive and delivers significant cost reduction in urban environments. The right road luminaire coupled with the right lighting application will create the best environment for your municipality, benefiting local communities and boosting tourism and businesses.

### Benefits

- High lumen efficacy 120 to 140 lumen per watt – much higher than currently available solutions
- Unique functional design Sleek, light-weight and well-designed luminaire
- Control and dimming ready Supports CityTouch connect application, 7-Pin Nema socket and standard outdoor dimming protocols
- Value for money Most competitive product in its segment Perfect for renovation, upgrading projects
- Best-in-class LED lighting technology at an unmatched, competitive price
- Equipped with Service tag, a QR-based identification system that makes each luminaire uniquely identifiable and provides maintenance, installation and spare part information







## Features

- Excellent thermal management operating Temperature -40 to 50C
- Exposed Optic - Transparent and weather resistant grade polycarbonate optics
- Multiple optic - Options to meet all road and street lighting application requirements
- Lightweight housing design
- Available in 3000K, 4000K, 5000K and 5700K CCT options
- 10kV or 15kV Surge protection Device


## Application

- Pedestrian Road
- Highway Road
- Residential Road
- Interchange

## Dimensional drawing



Dimensional drawing



General Information	
Driver included	Yes
Light Technical	
Standard tilt angle side entry	-
Standard tilt angle posttop	-
Approval and Application	
CE mark	CE mark
Mech. impact protection code	IK08

General Information

Order Code	Full Product Name	Light source replaceable
911401861398	BRP390 LED81/NW 57W 220-240V DM	No
911401861498	BRP390 LED74/NW 52W 220-240V DM	No
911401861598	BRP390 LED68/NW 48W 220-240V DM	No
911401861698	BRP390 LED62/NW 46W 220-240V DM	No
911401861798	BRP390 LED56/NW 41W 220-240V DM	No
911401861898	BRP390 LED50/NW 36W 220-240V DM	No
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	No
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	No
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	No
911401862398	BRP391 LED87/NW 63W 220-240V DM PSR	No
911401865198	BRP390 LED76/WW 57W 220-240V DM	No
911401865298	BRP390 LED70/WW 52W 220-240V DM	No
911401865398	BRP390 LED64/WW 48W 220-240V DM	No
911401865498	BRP390 LED58/WW 46W 220-240V DM	No
911401865598	BRP390 LED52/WW 41W 220-240V DM	No
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	No
911401865898	BRP391 LED100/WW 75W 220-240V DM PSR	No
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	No
911401866098	BRP391 LED87/WW 67W 220-240V DM PSR	No
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	No
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	No
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	No
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	No

Order Code	Full Product Name	Light source replaceable
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	No
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	No
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	No
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	No
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	No
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	No
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	No
911401863498	BRP393 LED311/NW 217W 220-240V DM PSR	No
911401863598	BRP393 LED298/NW 208W 220-240V DM PSR	No
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	No
911401863798	BRP393 LED273/NW 192W 220-240V DM PSR	No
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	No
911401863998	BRP393 LED248/NW 174W 220-240V DM PSR	No
911401864098	BRP393 LED236/NW 166W 220-240V DM PSR	No
911401866298	BRP392 LED210/WW 158W 220-240V DM PSR	No
911401866398	BRP392 LED200/WW 150W 220-240V DM PSR	No
911401866498	BRP392 LED186/WW 138W 220-240V DM PSR	No
911401866598	BRP392 LED175/WW 130W 220-240V DM PSR	No
911401866698	BRP392 LED163/WW 121W 220-240V DM PSR	No
911401866798	BRP392 LED151/WW 113W 220-240V DM PSR	No
911401866898	BRP392 LED140/WW 104W 220-240V DM PSR	No
911401866998	BRP392 LED128/WW 96W 220-240V DM PSR	No
911401867098	BRP392 LED116/WW 88W 220-240V DM PSR	No

Order Code	Full Product Name	Light source replaceable
911401867198	BRP393 LED303/WW 225W 220-240V DM PSR	No
911401867298	BRP393 LED291/WW 217W 220-240V DM PSR	No
911401867398	BRP393 LED280/WW 208W 220-240V DM PSR	No
911401867498	BRP393 LED268/WW 200W 220-240V DM PSR	No
911401867598	BRP393 LED256/WW 192W 220-240V DM PSR	No
911401867698	BRP393 LED245/WW 183W 220-240V DM PSR	No
911401867798	BRP393 LED233/WW 174W 220-240V DM PSR	No
911401867898	BRP393 LED221/WW 166W 220-240V DM PSR	No
911401864198	BRP394 LED449/NW 316W 220-240V DM PSR	No
911401864298	BRP394 LED437/NW 308W 220-240V DM PSR	No
911401864398	BRP394 LED424/NW 300W 220-240V DM PSR	No
911401864498	BRP394 LED412/NW 285W 220-240V DM PSR	No
911401864598	BRP394 LED398/NW 276W 220-240V DM PSR	No
911401864698	BRP394 LED385/NW 268W 220-240V DM PSR	No
911401864798	BRP394 LED373/NW 259W 220-240V DM PSR	No
911401864898	BRP394 LED360/NW 251W 220-240V DM PSR	No

Order Code	Full Product Name	Light source replaceable
911401864998	BRP394 LED348/NW 242W 220-240V DM PSR	No
911401865098	BRP394 LED336/NW 234W 220-240V DM PSR	No
911401867998	BRP394 LED421/WW 316W 220-240V DM PSR	No
911401868098	BRP394 LED410/WW 308W 220-240V DM PSR	No
911401868198	BRP394 LED400/WW 300W 220-240V DM PSR	No
911401868298	BRP394 LED386/WW 285W 220-240V DM PSR	No
911401868398	BRP394 LED373/WW 276W 220-240V DM PSR	No
911401868498	BRP394 LED361/WW 268W 220-240V DM PSR	No
911401868598	BRP394 LED350/WW 259W 220-240V DM PSR	No
911401868698	BRP394 LED338/WW 251W 220-240V DM PSR	No
911401868798	BRP394 LED326/WW 242W 220-240V DM PSR	No
911401868898	BRP394 LED315/WW 234W 220-240V DM PSR	No
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	-
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	-
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	-
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	-

Light Technical

Order Code	Full Product Name	Light source color	Optical cover/lens type
911401861398	BRP390 LED81/NW 57W 220-240V DM	740 neutral white	Polycarbonate micro lens optic
911401861498	BRP390 LED74/NW 52W 220-240V DM	740 neutral white	Polycarbonate micro lens optic
911401861598	BRP390 LED68/NW 48W 220-240V DM	740 neutral white	Polycarbonate micro lens optic
911401861698	BRP390 LED62/NW 46W 220-240V DM	740 neutral white	Polycarbonate micro lens optic
911401861798	BRP390 LED56/NW 41W 220-240V DM	740 neutral white	Polycarbonate micro lens optic
911401861898	BRP390 LED50/NW 36W 220-240V DM	740 neutral white	Polycarbonate micro lens optic
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401862398	BRP391 LED87/NW 63W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401865198	BRP390 LED76/WW 57W 220-240V DM	730 warm white	Polycarbonate micro lens optic
911401865298	BRP390 LED70/WW 52W 220-240V DM	730 warm white	Polycarbonate micro lens optic
911401865398	BRP390 LED64/WW 48W 220-240V DM	730 warm white	Polycarbonate micro lens optic
911401865498	BRP390 LED58/WW 46W 220-240V DM	730 warm white	Polycarbonate micro lens optic
911401865598	BRP390 LED52/WW 41W 220-240V DM	730 warm white	Polycarbonate micro lens optic

Order Code	Full Product Name	Light source color	Optical cover/lens type
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401865898	BRP391 LED100/WW 75W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401866098	BRP391 LED87/WW 67W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic

Order Code	Full Product Name	Light source	
		color	Optical cover/lens type
911401863498	BRP393 LED311/NW 217W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401863598	BRP393 LED298/NW 208W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401863798	BRP393 LED273/NW 192W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401863998	BRP393 LED248/NW 174W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401864098	BRP393 LED236/NW 166W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401866298	BRP392 LED210/WW 158W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401866398	BRP392 LED200/WW 150W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401866498	BRP392 LED186/WW 138W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401866598	BRP392 LED175/WW 130W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401866698	BRP392 LED163/WW 121W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401866798	BRP392 LED151/WW 113W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401866898	BRP392 LED140/WW 104W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401866998	BRP392 LED128/WW 96W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401867098	BRP392 LED116/WW 88W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401867198	BRP393 LED303/WW 225W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401867298	BRP393 LED291/WW 217W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401867398	BRP393 LED280/WW 208W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401867498	BRP393 LED268/WW 200W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401867598	BRP393 LED256/WW 192W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401867698	BRP393 LED245/WW 183W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401867798	BRP393 LED233/WW 174W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401867898	BRP393 LED221/WW 166W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic

Order Code	Full Product Name	Light source	
		color	Optical cover/lens type
911401864198	BRP394 LED449/NW 316W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401864298	BRP394 LED437/NW 308W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401864398	BRP394 LED424/NW 300W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401864498	BRP394 LED412/NW 285W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401864598	BRP394 LED398/NW 276W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401864698	BRP394 LED385/NW 268W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401864798	BRP394 LED373/NW 259W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401864898	BRP394 LED360/NW 251W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401864998	BRP394 LED348/NW 242W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401865098	BRP394 LED336/NW 234W 220-240V DM PSR	740 neutral white	Polycarbonate micro lens optic
911401867998	BRP394 LED421/WW 316W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401868098	BRP394 LED410/WW 308W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401868198	BRP394 LED400/WW 300W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401868298	BRP394 LED386/WW 285W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401868398	BRP394 LED373/WW 276W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401868498	BRP394 LED361/WW 268W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401868598	BRP394 LED350/WW 259W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401868698	BRP394 LED338/WW 251W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401868798	BRP394 LED326/WW 242W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401868898	BRP394 LED315/WW 234W 220-240V DM PSR	730 warm white	Polycarbonate micro lens optic
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	Neutral white	Clear dome
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	Neutral white	Clear dome
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	Neutral white	Clear dome
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	Neutral white	Clear dome

Controls and Dimming

Order Code	Full Product Name	Dimmable
911401861398	BRP390 LED81/NW 57W 220-240V DM	No
911401861498	BRP390 LED74/NW 52W 220-240V DM	No
911401861598	BRP390 LED68/NW 48W 220-240V DM	No
911401861698	BRP390 LED62/NW 46W 220-240V DM	No
911401861798	BRP390 LED56/NW 41W 220-240V DM	No
911401861898	BRP390 LED50/NW 36W 220-240V DM	No
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	Yes
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	Yes
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	Yes
911401862398	BRP391 LED87/NW 63W 220-240V DM PSR	Yes
911401865198	BRP390 LED76/WW 57W 220-240V DM	No
911401865298	BRP390 LED70/WW 52W 220-240V DM	No
911401865398	BRP390 LED64/WW 48W 220-240V DM	No
911401865498	BRP390 LED58/WW 46W 220-240V DM	No
911401865598	BRP390 LED52/WW 41W 220-240V DM	No
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	Yes
911401865898	BRP391 LED100/WW 75W 220-240V DM PSR	Yes
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	Yes
911401866098	BRP391 LED87/WW 67W 220-240V DM PSR	Yes
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	Yes
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	Yes
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	Yes
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	Yes
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	Yes
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	Yes
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	Yes
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	Yes
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	Yes
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	Yes
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	Yes
911401863498	BRP393 LED311/NW 217W 220-240V DM PSR	Yes
911401863598	BRP393 LED298/NW 208W 220-240V DM PSR	Yes
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	Yes
911401863798	BRP393 LED273/NW 192W 220-240V DM PSR	Yes
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	Yes
911401863998	BRP393 LED248/NW 174W 220-240V DM PSR	Yes
911401864098	BRP393 LED236/NW 166W 220-240V DM PSR	Yes
911401866298	BRP392 LED210/WW 158W 220-240V DM PSR	Yes
911401866398	BRP392 LED200/WW 150W 220-240V DM PSR	Yes

Order Code	Full Product Name	Dimmable
911401866498	BRP392 LED186/WW 138W 220-240V DM PSR	Yes
911401866598	BRP392 LED175/WW 130W 220-240V DM PSR	Yes
911401866698	BRP392 LED163/WW 121W 220-240V DM PSR	Yes
911401866798	BRP392 LED151/WW 113W 220-240V DM PSR	Yes
911401866898	BRP392 LED140/WW 104W 220-240V DM PSR	Yes
911401866998	BRP392 LED128/WW 96W 220-240V DM PSR	Yes
911401867098	BRP392 LED116/WW 88W 220-240V DM PSR	Yes
911401867198	BRP393 LED303/WW 225W 220-240V DM PSR	Yes
911401867298	BRP393 LED291/WW 217W 220-240V DM PSR	Yes
911401867398	BRP393 LED280/WW 208W 220-240V DM PSR	Yes
911401867498	BRP393 LED268/WW 200W 220-240V DM PSR	Yes
911401867598	BRP393 LED256/WW 192W 220-240V DM PSR	Yes
911401867698	BRP393 LED245/WW 183W 220-240V DM PSR	Yes
911401867798	BRP393 LED233/WW 174W 220-240V DM PSR	Yes
911401867898	BRP393 LED221/WW 166W 220-240V DM PSR	Yes
911401864198	BRP394 LED449/NW 316W 220-240V DM PSR	Yes
911401864298	BRP394 LED437/NW 308W 220-240V DM PSR	Yes
911401864398	BRP394 LED424/NW 300W 220-240V DM PSR	Yes
911401864498	BRP394 LED412/NW 285W 220-240V DM PSR	Yes
911401864598	BRP394 LED398/NW 276W 220-240V DM PSR	Yes
911401864698	BRP394 LED385/NW 268W 220-240V DM PSR	Yes
911401864798	BRP394 LED373/NW 259W 220-240V DM PSR	Yes
911401864898	BRP394 LED360/NW 251W 220-240V DM PSR	Yes
911401864998	BRP394 LED348/NW 242W 220-240V DM PSR	Yes
911401865098	BRP394 LED336/NW 234W 220-240V DM PSR	Yes
911401867998	BRP394 LED421/WW 316W 220-240V DM PSR	Yes
911401868098	BRP394 LED410/WW 308W 220-240V DM PSR	Yes
911401868198	BRP394 LED400/WW 300W 220-240V DM PSR	Yes
911401868298	BRP394 LED386/WW 285W 220-240V DM PSR	Yes
911401868398	BRP394 LED373/WW 276W 220-240V DM PSR	Yes
911401868498	BRP394 LED361/WW 268W 220-240V DM PSR	Yes
911401868598	BRP394 LED350/WW 259W 220-240V DM PSR	Yes
911401868698	BRP394 LED338/WW 251W 220-240V DM PSR	Yes
911401868798	BRP394 LED326/WW 242W 220-240V DM PSR	Yes
911401868898	BRP394 LED315/WW 234W 220-240V DM PSR	Yes
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	Yes
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	Yes
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	Yes
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	Yes

**Approval and Application**

Order Code	Full Product Name	Flammability mark
911401861398	BRP390 LED81/NW 57W 220-240V DM	For mounting on normally flammable surfaces
911401861498	BRP390 LED74/NW 52W 220-240V DM	For mounting on normally flammable surfaces
911401861598	BRP390 LED68/NW 48W 220-240V DM	For mounting on normally flammable surfaces
911401861698	BRP390 LED62/NW 46W 220-240V DM	For mounting on normally flammable surfaces

Order Code	Full Product Name	Flammability mark
911401861798	BRP390 LED56/NW 41W 220-240V DM	For mounting on normally flammable surfaces
911401861898	BRP390 LED50/NW 36W 220-240V DM	For mounting on normally flammable surfaces
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	For mounting on normally flammable surfaces
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	For mounting on normally flammable surfaces

Order Code	Full Product Name	Flammability mark
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	For mounting on normally flammable surfaces
911401862398	BRP391 LED87/NW 63W 220-240V DM PSR	For mounting on normally flammable surfaces
911401865198	BRP390 LED76/WW 57W 220-240V DM	For mounting on normally flammable surfaces
911401865298	BRP390 LED70/WW 52W 220-240V DM	For mounting on normally flammable surfaces
911401865398	BRP390 LED64/WW 48W 220-240V DM	For mounting on normally flammable surfaces
911401865498	BRP390 LED58/WW 46W 220-240V DM	For mounting on normally flammable surfaces
911401865598	BRP390 LED52/WW 41W 220-240V DM	For mounting on normally flammable surfaces
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	For mounting on normally flammable surfaces
911401865898	BRP391 LED100/WW 75W 220-240V DM PSR	For mounting on normally flammable surfaces
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866098	BRP391 LED87/WW 67W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	For mounting on normally flammable surfaces
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	For mounting on normally flammable surfaces
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	For mounting on normally flammable surfaces
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	For mounting on normally flammable surfaces
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	For mounting on normally flammable surfaces
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	For mounting on normally flammable surfaces
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	For mounting on normally flammable surfaces
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	For mounting on normally flammable surfaces
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	For mounting on normally flammable surfaces
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	For mounting on normally flammable surfaces
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	For mounting on normally flammable surfaces
911401863498	BRP393 LED311/NW 217W 220-240V DM PSR	For mounting on normally flammable surfaces
911401863598	BRP393 LED298/NW 208W 220-240V DM PSR	For mounting on normally flammable surfaces
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	For mounting on normally flammable surfaces
911401863798	BRP393 LED273/NW 192W 220-240V DM PSR	For mounting on normally flammable surfaces

Order Code	Full Product Name	Flammability mark
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	For mounting on normally flammable surfaces
911401863998	BRP393 LED248/NW 174W 220-240V DM PSR	For mounting on normally flammable surfaces
911401864098	BRP393 LED236/NW 166W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866298	BRP392 LED210/WW 158W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866398	BRP392 LED200/WW 150W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866498	BRP392 LED186/WW 138W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866598	BRP392 LED175/WW 130W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866698	BRP392 LED163/WW 121W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866798	BRP392 LED151/WW 113W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866898	BRP392 LED140/WW 104W 220-240V DM PSR	For mounting on normally flammable surfaces
911401866998	BRP392 LED128/WW 96W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867098	BRP392 LED116/WW 88W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867198	BRP393 LED303/WW 225W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867298	BRP393 LED291/WW 217W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867398	BRP393 LED280/WW 208W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867498	BRP393 LED268/WW 200W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867598	BRP393 LED256/WW 192W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867698	BRP393 LED245/WW 183W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867798	BRP393 LED233/WW 174W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867898	BRP393 LED221/WW 166W 220-240V DM PSR	For mounting on normally flammable surfaces
911401864198	BRP394 LED449/NW 316W 220-240V DM PSR	For mounting on normally flammable surfaces
911401864298	BRP394 LED437/NW 308W 220-240V DM PSR	For mounting on normally flammable surfaces
911401864398	BRP394 LED424/NW 300W 220-240V DM PSR	For mounting on normally flammable surfaces
911401864498	BRP394 LED412/NW 285W 220-240V DM PSR	For mounting on normally flammable surfaces
911401864598	BRP394 LED398/NW 276W 220-240V DM PSR	For mounting on normally flammable surfaces
911401864698	BRP394 LED385/NW 268W 220-240V DM PSR	For mounting on normally flammable surfaces



Order Code	Full Product Name	Flammability mark
911401864798	BRP394 LED373/NW 259W 220-240V DM PSR	For mounting on normally flammable surfaces
911401864898	BRP394 LED360/NW 251W 220-240V DM PSR	For mounting on normally flammable surfaces
911401864998	BRP394 LED348/NW 242W 220-240V DM PSR	For mounting on normally flammable surfaces
911401865098	BRP394 LED336/NW 234W 220-240V DM PSR	For mounting on normally flammable surfaces
911401867998	BRP394 LED421/WW 316W 220-240V DM PSR	For mounting on normally flammable surfaces
911401868098	BRP394 LED410/WW 308W 220-240V DM PSR	For mounting on normally flammable surfaces
911401868198	BRP394 LED400/WW 300W 220-240V DM PSR	For mounting on normally flammable surfaces
911401868298	BRP394 LED386/WW 285W 220-240V DM PSR	For mounting on normally flammable surfaces
911401868398	BRP394 LED373/WW 276W 220-240V DM PSR	For mounting on normally flammable surfaces

Order Code	Full Product Name	Flammability mark
911401868498	BRP394 LED361/WW 268W 220-240V DM PSR	For mounting on normally flammable surfaces
911401868598	BRP394 LED350/WW 259W 220-240V DM PSR	For mounting on normally flammable surfaces
911401868698	BRP394 LED338/WW 251W 220-240V DM PSR	For mounting on normally flammable surfaces
911401868798	BRP394 LED326/WW 242W 220-240V DM PSR	For mounting on normally flammable surfaces
911401868898	BRP394 LED315/WW 234W 220-240V DM PSR	For mounting on normally flammable surfaces
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	-
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	-
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	-
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	-

Application Conditions

Order Code	Full Product Name	Maximum dim level
911401861398	BRP390 LED81/NW 57W 220-240V DM	-
911401861498	BRP390 LED74/NW 52W 220-240V DM	-
911401861598	BRP390 LED68/NW 48W 220-240V DM	-
911401861698	BRP390 LED62/NW 46W 220-240V DM	-
911401861798	BRP390 LED56/NW 41W 220-240V DM	-
911401861898	BRP390 LED50/NW 36W 220-240V DM	-
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	10%
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	10%
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	10%
911401862398	BRP391 LED87/NW 63W 220-240V DM PSR	10%
911401865198	BRP390 LED76/WW 57W 220-240V DM	-
911401865298	BRP390 LED70/WW 52W 220-240V DM	-
911401865398	BRP390 LED64/WW 48W 220-240V DM	-
911401865498	BRP390 LED58/WW 46W 220-240V DM	-
911401865598	BRP390 LED52/WW 41W 220-240V DM	-
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	10%
911401865898	BRP391 LED100/WW 75W 220-240V DM PSR	10%
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	10%
911401866098	BRP391 LED87/WW 67W 220-240V DM PSR	10%
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	10%
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	10%
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	10%
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	10%
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	10%
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	10%
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	10%
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	10%
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	10%
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	10%
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	10%

Order Code	Full Product Name	Maximum dim level
911401863498	BRP393 LED311/NW 217W 220-240V DM PSR	10%
911401863598	BRP393 LED298/NW 208W 220-240V DM PSR	10%
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	10%
911401863798	BRP393 LED273/NW 192W 220-240V DM PSR	10%
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	10%
911401863998	BRP393 LED248/NW 174W 220-240V DM PSR	10%
911401864098	BRP393 LED236/NW 166W 220-240V DM PSR	10%
911401866298	BRP392 LED210/WW 158W 220-240V DM PSR	10%
911401866398	BRP392 LED200/WW 150W 220-240V DM PSR	10%
911401866498	BRP392 LED186/WW 138W 220-240V DM PSR	10%
911401866598	BRP392 LED175/WW 130W 220-240V DM PSR	10%
911401866698	BRP392 LED163/WW 121W 220-240V DM PSR	10%
911401866798	BRP392 LED151/WW 113W 220-240V DM PSR	10%
911401866898	BRP392 LED140/WW 104W 220-240V DM PSR	10%
911401866998	BRP392 LED128/WW 96W 220-240V DM PSR	10%
911401867098	BRP392 LED116/WW 88W 220-240V DM PSR	10%
911401867198	BRP393 LED303/WW 225W 220-240V DM PSR	10%
911401867298	BRP393 LED291/WW 217W 220-240V DM PSR	10%
911401867398	BRP393 LED280/WW 208W 220-240V DM PSR	10%
911401867498	BRP393 LED268/WW 200W 220-240V DM PSR	10%
911401867598	BRP393 LED256/WW 192W 220-240V DM PSR	10%
911401867698	BRP393 LED245/WW 183W 220-240V DM PSR	10%
911401867798	BRP393 LED233/WW 174W 220-240V DM PSR	10%
911401867898	BRP393 LED221/WW 166W 220-240V DM PSR	10%
911401864198	BRP394 LED449/NW 316W 220-240V DM PSR	10%
911401864298	BRP394 LED437/NW 308W 220-240V DM PSR	10%
911401864398	BRP394 LED424/NW 300W 220-240V DM PSR	10%
911401864498	BRP394 LED412/NW 285W 220-240V DM PSR	10%
911401864598	BRP394 LED398/NW 276W 220-240V DM PSR	10%
911401864698	BRP394 LED385/NW 268W 220-240V DM PSR	10%



Order Code	Full Product Name	Maximum dim level
911401864798	BRP394 LED373/NW 259W 220-240V DM PSR	10%
911401864898	BRP394 LED360/NW 251W 220-240V DM PSR	10%
911401864998	BRP394 LED348/NW 242W 220-240V DM PSR	10%
911401865098	BRP394 LED336/NW 234W 220-240V DM PSR	10%
911401867998	BRP394 LED421/WW 316W 220-240V DM PSR	10%
911401868098	BRP394 LED410/WW 308W 220-240V DM PSR	10%
911401868198	BRP394 LED400/WW 300W 220-240V DM PSR	10%
911401868298	BRP394 LED386/WW 285W 220-240V DM PSR	10%
911401868398	BRP394 LED373/WW 276W 220-240V DM PSR	10%

Order Code	Full Product Name	Maximum dim level
911401868498	BRP394 LED361/WW 268W 220-240V DM PSR	10%
911401868598	BRP394 LED350/WW 259W 220-240V DM PSR	10%
911401868698	BRP394 LED338/WW 251W 220-240V DM PSR	10%
911401868798	BRP394 LED326/WW 242W 220-240V DM PSR	10%
911401868898	BRP394 LED315/WW 234W 220-240V DM PSR	10%
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	-
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	-
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	-
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	-

