



The most competitive specification downlight for TCO attractiveness with diversity and system compatibility

GreenSpace G5

GreenSpace Gen5 is a new LED downlight range combining light efficiency and comfort with product diversity and system compatibility

Benefits

- Energy efficient
- Design compactness
- Smart lighting










Features

- High optical efficiency
- Compact form factor
- DALI/DALI-VLC/POE compatible



Application

- Office
- shopping mall
- hotel
- retail etc.

Dimensional drawing



Dimensional drawing



General Information

Driver included	Yes
Light source replaceable	No
Number of gear units	1 unit

Light Technical

Optical cover/lens type	Transparent bowl with white cover
Optic type	High-gloss high reflectance

Operating and Electrical

Input Voltage	220-240 V
---------------	-----------

Temperature

Ambient temperature range	-20 to +40 °C
---------------------------	---------------

Approval and Application

Protection class IEC	Safety class I
Flammability mark	For mounting on normally flammable surfaces
Glow-wire test	Temperature 650 °C, duration 30 s
Mech. impact protection code	IK02

Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%
-------------------------	--------

Over Time Performance (IEC Compliant)

Median useful life L80B50	43,000 hour(s)
Median useful life L90B50	20,000 hour(s)

Light Technical

Order Code	Full Product Name	Beam angle of light source
911401578041	DN390B LED6/830 PSU D100 ALU GM	60 degree(s)
911401578141	DN390B LED6/840 PSU D100 ALU GM	60 degree(s)
911401578241	DN390B LED6/865 PSU D100 ALU GM	60 degree(s)
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	60 degree(s)
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	60 degree(s)
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	60 degree(s)
911401577741	DN390B LED6/830 PSU D100 WH GM	72 degree(s)
911401577841	DN390B LED6/840 PSU D100 WH GM	72 degree(s)
911401577941	DN390B LED6/865 PSU D100 WH GM	72 degree(s)
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	60 degree(s)
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	60 degree(s)
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	60 degree(s)
911401578641	DN391B LED11/830 PSU D150 ALU GM	60 degree(s)
911401578741	DN391B LED11/840 PSU D150 ALU GM	60 degree(s)
911401578841	DN391B LED11/865 PSU D150 ALU GM	60 degree(s)
911401579241	DN392B LED16/830 PSU D150 ALU GM	60 degree(s)
911401579341	DN392B LED16/840 PSU D150 ALU GM	60 degree(s)
911401579441	DN392B LED16/865 PSU D150 ALU GM	60 degree(s)
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	60 degree(s)
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	60 degree(s)
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	60 degree(s)
911401581841	DN391B LED11/830 PSD D150 ALU GM	60 degree(s)
911401581941	DN391B LED11/840 PSD D150 ALU GM	60 degree(s)
911401585741	DN392B LED16/840 PSD D150 ALU GM	60 degree(s)
911401578341	DN391B LED11/830 PSU D150 WH GM	85 degree(s)
911401578441	DN391B LED11/840 PSU D150 WH GM	85 degree(s)
911401578541	DN391B LED11/865 PSU D150 WH GM	85 degree(s)
911401578941	DN392B LED16/830 PSU D150 WH GM	85 degree(s)
911401579041	DN392B LED16/840 PSU D150 WH GM	85 degree(s)
911401579141	DN392B LED16/865 PSU D150 WH GM	85 degree(s)
911401581641	DN391B LED11/830 PSD D150 WH GM	85 degree(s)
911401581741	DN391B LED11/840 PSD D150 WH GM	85 degree(s)
911401585441	DN392B LED16/830 PSD D150 WH GM	85 degree(s)
911401585541	DN392B LED16/840 PSD D150 WH GM	85 degree(s)
911401579841	DN392B LED16/830 PSU D200 ALU GM	60 degree(s)
911401579941	DN392B LED16/840 PSU D200 ALU GM	60 degree(s)

Order Code	Full Product Name	Beam angle of light source
911401580041	DN392B LED16/865 PSU D200 ALU GM	60 degree(s)
911401580441	DN393B LED22/830 PSU D200 ALU GM	60 degree(s)
911401580541	DN393B LED22/840 PSU D200 ALU GM	60 degree(s)
911401580641	DN393B LED22/865 PSU D200 ALU GM	60 degree(s)
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	60 degree(s)
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	60 degree(s)
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	60 degree(s)
911401582241	DN392B LED16/830 PSD D200 ALU GM	60 degree(s)
911401582341	DN392B LED16/840 PSD D200 ALU GM	60 degree(s)
911401582641	DN393B LED22/830 PSD D200 ALU GM	60 degree(s)
911401582741	DN393B LED22/840 PSD D200 ALU GM	60 degree(s)
911401579541	DN392B LED16/830 PSU D200 WH GM	92 degree(s)
911401579641	DN392B LED16/840 PSU D200 WH GM	92 degree(s)
911401579741	DN392B LED16/865 PSU D200 WH GM	92 degree(s)
911401580141	DN393B LED22/830 PSU D200 WH GM	92 degree(s)
911401580241	DN393B LED22/840 PSU D200 WH GM	92 degree(s)
911401580341	DN393B LED22/865 PSU D200 WH GM	92 degree(s)
911401582041	DN392B LED16/830 PSD D200 WH GM	92 degree(s)
911401582141	DN392B LED16/840 PSD D200 WH GM	92 degree(s)
911401582441	DN393B LED22/830 PSD D200 WH GM	92 degree(s)
911401582541	DN393B LED22/840 PSD D200 WH GM	92 degree(s)

Controls and Dimming

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401578041	DN390B LED6/830 PSU D100 ALU GM	No	911401578941	DN392B LED16/830 PSU D150 WH GM	No
911401578141	DN390B LED6/840 PSU D100 ALU GM	No	911401579041	DN392B LED16/840 PSU D150 WH GM	No
911401578241	DN390B LED6/865 PSU D100 ALU GM	No	911401579141	DN392B LED16/865 PSU D150 WH GM	No
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	No	911401581641	DN391B LED11/830 PSD D150 WH GM	Yes
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	No	911401581741	DN391B LED11/840 PSD D150 WH GM	Yes
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	No	911401585441	DN392B LED16/830 PSD D150 WH GM	Yes
911401577741	DN390B LED6/830 PSU D100 WH GM	No	911401585541	DN392B LED16/840 PSD D150 WH GM	Yes
911401577841	DN390B LED6/840 PSU D100 WH GM	No	911401579841	DN392B LED16/830 PSU D200 ALU GM	No
911401577941	DN390B LED6/865 PSU D100 WH GM	No	911401579941	DN392B LED16/840 PSU D200 ALU GM	No
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	No	911401580041	DN392B LED16/865 PSU D200 ALU GM	No
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	No	911401580441	DN393B LED22/830 PSU D200 ALU GM	No
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	No	911401580541	DN393B LED22/840 PSU D200 ALU GM	No
911401578641	DN391B LED11/830 PSU D150 ALU GM	No	911401580641	DN393B LED22/865 PSU D200 ALU GM	No
911401578741	DN391B LED11/840 PSU D150 ALU GM	No	911401581341	DN393B LED22/830 PSU D200 ALU WP GM	No
911401578841	DN391B LED11/865 PSU D150 ALU GM	No	911401581441	DN393B LED22/840 PSU D200 ALU WP GM	No
911401579241	DN392B LED16/830 PSU D150 ALU GM	No	911401581541	DN393B LED22/865 PSU D200 ALU WP GM	No
911401579341	DN392B LED16/840 PSU D150 ALU GM	No	911401582241	DN392B LED16/830 PSD D200 ALU GM	Yes
911401579441	DN392B LED16/865 PSU D150 ALU GM	No	911401582341	DN392B LED16/840 PSD D200 ALU GM	Yes
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	No	911401582641	DN393B LED22/830 PSD D200 ALU GM	Yes
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	No	911401582741	DN393B LED22/840 PSD D200 ALU GM	Yes
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	No	911401579541	DN392B LED16/830 PSU D200 WH GM	No
911401581841	DN391B LED11/830 PSD D150 ALU GM	Yes	911401579641	DN392B LED16/840 PSU D200 WH GM	No
911401581941	DN391B LED11/840 PSD D150 ALU GM	Yes	911401579741	DN392B LED16/865 PSU D200 WH GM	No
911401585741	DN392B LED16/840 PSD D150 ALU GM	Yes	911401580141	DN393B LED22/830 PSU D200 WH GM	No
911401578341	DN391B LED11/830 PSU D150 WH GM	No	911401580241	DN393B LED22/840 PSU D200 WH GM	No
911401578441	DN391B LED11/840 PSU D150 WH GM	No	911401580341	DN393B LED22/865 PSU D200 WH GM	No
911401578541	DN391B LED11/865 PSU D150 WH GM	No	911401582041	DN392B LED16/830 PSD D200 WH GM	Yes

Order Code	Full Product Name	Dimmable
911401582141	DN392B LED16/840 PSD D200 WH GM	Yes
911401582441	DN393B LED22/830 PSD D200 WH GM	Yes

Order Code	Full Product Name	Dimmable
911401582541	DN393B LED22/840 PSD D200 WH GM	Yes

Approval and Application

Order Code	Full Product Name	Ingress	
		CE mark	protection code
911401578041	DN390B LED6/830 PSU D100 ALU GM	CE mark	IP20
911401578141	DN390B LED6/840 PSU D100 ALU GM	CE mark	IP20
911401578241	DN390B LED6/865 PSU D100 ALU GM	CE mark	IP20
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	CE mark	IP20/54
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	CE mark	IP20/54
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	CE mark	IP20/54
911401577741	DN390B LED6/830 PSU D100 WH GM	CE mark	IP20
911401577841	DN390B LED6/840 PSU D100 WH GM	CE mark	IP20
911401577941	DN390B LED6/865 PSU D100 WH GM	CE mark	IP20
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	-	IP20/54
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	-	IP20/54
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	-	IP20/54
911401578641	DN391B LED11/830 PSU D150 ALU GM	CE mark	IP20
911401578741	DN391B LED11/840 PSU D150 ALU GM	CE mark	IP20
911401578841	DN391B LED11/865 PSU D150 ALU GM	CE mark	IP20
911401579241	DN392B LED16/830 PSU D150 ALU GM	CE mark	IP20
911401579341	DN392B LED16/840 PSU D150 ALU GM	CE mark	IP20
911401579441	DN392B LED16/865 PSU D150 ALU GM	CE mark	IP20
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	CE mark	IP20/54
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	CE mark	IP20/54
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	CE mark	IP20/54
911401581841	DN391B LED11/830 PSD D150 ALU GM	CE mark	IP20
911401581941	DN391B LED11/840 PSD D150 ALU GM	CE mark	IP20
911401585741	DN392B LED16/840 PSD D150 ALU GM	CE mark	IP20
911401578341	DN391B LED11/830 PSU D150 WH GM	CE mark	IP20
911401578441	DN391B LED11/840 PSU D150 WH GM	CE mark	IP20
911401578541	DN391B LED11/865 PSU D150 WH GM	CE mark	IP20
911401578941	DN392B LED16/830 PSU D150 WH GM	CE mark	IP20
911401579041	DN392B LED16/840 PSU D150 WH GM	CE mark	IP20

Order Code	Full Product Name	Ingress	
		CE mark	protection code
911401579141	DN392B LED16/865 PSU D150 WH GM	CE mark	IP20
911401581641	DN391B LED11/830 PSD D150 WH GM	CE mark	IP20
911401581741	DN391B LED11/840 PSD D150 WH GM	CE mark	IP20
911401585441	DN392B LED16/830 PSD D150 WH GM	CE mark	IP20
911401585541	DN392B LED16/840 PSD D150 WH GM	CE mark	IP20
911401579841	DN392B LED16/830 PSU D200 ALU GM	CE mark	IP20
911401579941	DN392B LED16/840 PSU D200 ALU GM	CE mark	IP20
911401580041	DN392B LED16/865 PSU D200 ALU GM	CE mark	IP20
911401580441	DN393B LED22/830 PSU D200 ALU GM	CE mark	IP20
911401580541	DN393B LED22/840 PSU D200 ALU GM	CE mark	IP20
911401580641	DN393B LED22/865 PSU D200 ALU GM	CE mark	IP20
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	CE mark	IP20/54
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	CE mark	IP20/54
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	CE mark	IP20/54
911401582241	DN392B LED16/830 PSD D200 ALU GM	CE mark	IP20
911401582341	DN392B LED16/840 PSD D200 ALU GM	CE mark	IP20
911401582641	DN393B LED22/830 PSD D200 ALU GM	CE mark	IP20
911401582741	DN393B LED22/840 PSD D200 ALU GM	CE mark	IP20
911401579541	DN392B LED16/830 PSU D200 WH GM	CE mark	IP20
911401579641	DN392B LED16/840 PSU D200 WH GM	CE mark	IP20
911401579741	DN392B LED16/865 PSU D200 WH GM	CE mark	IP20
911401580141	DN393B LED22/830 PSU D200 WH GM	CE mark	IP20
911401580241	DN393B LED22/840 PSU D200 WH GM	CE mark	IP20
911401580341	DN393B LED22/865 PSU D200 WH GM	CE mark	IP20
911401582041	DN392B LED16/830 PSD D200 WH GM	CE mark	IP20
911401582141	DN392B LED16/840 PSD D200 WH GM	CE mark	IP20
911401582441	DN393B LED22/830 PSD D200 WH GM	CE mark	IP20
911401582541	DN393B LED22/840 PSD D200 WH GM	CE mark	IP20

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
911401578041	DN390B LED6/830 PSU D100 ALU GM	(0.44,0.403) SDCM<5
911401578141	DN390B LED6/840 PSU D100 ALU GM	(0.38,0.38) SDCM<5
911401578241	DN390B LED6/865 PSU D100 ALU GM	(0.31,0.32) SDCM<5
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	(0.44,0.403) SDCM<5
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	(0.38,0.38) SDCM<5
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	(0.31,0.32) SDCM<5
911401577741	DN390B LED6/830 PSU D100 WH GM	(0.44,0.403) SDCM<5
911401577841	DN390B LED6/840 PSU D100 WH GM	(0.38,0.38) SDCM<5
911401577941	DN390B LED6/865 PSU D100 WH GM	(0.31,0.32) SDCM<5
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	(0.44,0.403) SDCM<5
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	(0.38,0.38) SDCM<5

Order Code	Full Product Name	Initial chromaticity
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	(0.31,0.32) SDCM<5
911401578641	DN391B LED11/830 PSU D150 ALU GM	(0.44,0.403) SDCM<5
911401578741	DN391B LED11/840 PSU D150 ALU GM	(0.38,0.38) SDCM<5
911401578841	DN391B LED11/865 PSU D150 ALU GM	(0.31,0.32) SDCM<5
911401579241	DN392B LED16/830 PSU D150 ALU GM	(0.44,0.403) SDCM<5
911401579341	DN392B LED16/840 PSU D150 ALU GM	(0.38,0.38) SDCM<5
911401579441	DN392B LED16/865 PSU D150 ALU GM	(0.31,0.32) SDCM<5
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	(0.44,0.403) SDCM<5
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	(0.38,0.38) SDCM<5
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	(0.31,0.32) SDCM<5
911401581841	DN391B LED11/830 PSD D150 ALU GM	(0.44,0.403) SDCM<5

Order Code	Full Product Name	Initial chromaticity
911401581941	DN391B LED11/840 PSD D150 ALU GM	(0.38,0.38) SDCM<5
911401585741	DN392B LED16/840 PSD D150 ALU GM	(0.38,0.38) SDCM<5
911401578341	DN391B LED11/830 PSU D150 WH GM	(0.44,0.403) SDCM<5
911401578441	DN391B LED11/840 PSU D150 WH GM	(0.38,0.38) SDCM<5
911401578541	DN391B LED11/865 PSU D150 WH GM	(0.31,0.32) SDCM<5
911401578941	DN392B LED16/830 PSU D150 WH GM	(0.44,0.403) SDCM<5
911401579041	DN392B LED16/840 PSU D150 WH GM	(0.38,0.38) SDCM<5
911401579141	DN392B LED16/865 PSU D150 WH GM	(0.31,0.32) SDCM<5
911401581641	DN391B LED11/830 PSD D150 WH GM	(0.44,0.403) SDCM<5
911401581741	DN391B LED11/840 PSD D150 WH GM	(0.38,0.38) SDCM<5
911401585441	DN392B LED16/830 PSD D150 WH GM	(0.44,0.403) SDCM<5
911401585541	DN392B LED16/840 PSD D150 WH GM	(0.38,0.38) SDCM<5
911401579841	DN392B LED16/830 PSU D200 ALU GM	(0.44,0.403) SDCM<5
911401579941	DN392B LED16/840 PSU D200 ALU GM	(0.38,0.38) SDCM<5
911401580041	DN392B LED16/865 PSU D200 ALU GM	(0.31,0.32) SDCM<5
911401580441	DN393B LED22/830 PSU D200 ALU GM	(0.44,0.403) SDCM<5
911401580541	DN393B LED22/840 PSU D200 ALU GM	(0.38,0.38) SDCM<5
911401580641	DN393B LED22/865 PSU D200 ALU GM	(0.31,0.32) SDCM<5

Order Code	Full Product Name	Initial chromaticity
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	(0.44,0.403) SDCM<5
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	(0.38,0.38) SDCM<5
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	(0.31,0.32) SDCM<5
911401582241	DN392B LED16/830 PSD D200 ALU GM	(0.44,0.403) SDCM<5
911401582341	DN392B LED16/840 PSD D200 ALU GM	(0.38,0.38) SDCM<5
911401582641	DN393B LED22/830 PSD D200 ALU GM	(0.44,0.403) SDCM<5
911401582741	DN393B LED22/840 PSD D200 ALU GM	(0.38,0.38) SDCM<5
911401579541	DN392B LED16/830 PSU D200 WH GM	(0.44,0.403) SDCM<5
911401579641	DN392B LED16/840 PSU D200 WH GM	(0.38,0.38) SDCM<5
911401579741	DN392B LED16/865 PSU D200 WH GM	(0.31,0.32) SDCM<5
911401580141	DN393B LED22/830 PSU D200 WH GM	(0.44,0.403) SDCM<5
911401580241	DN393B LED22/840 PSU D200 WH GM	(0.38,0.38) SDCM<5
911401580341	DN393B LED22/865 PSU D200 WH GM	(0.31,0.32) SDCM<5
911401582041	DN392B LED16/830 PSD D200 WH GM	(0.44,0.403) SDCM<5
911401582141	DN392B LED16/840 PSD D200 WH GM	(0.38,0.38) SDCM<5
911401582441	DN393B LED22/830 PSD D200 WH GM	(0.44,0.403) SDCM<5
911401582541	DN393B LED22/840 PSD D200 WH GM	(0.38,0.38) SDCM<5

Over Time Performance (IEC Compliant)

Order Code	Full Product Name	Driver failure rate at 5000 h
911401578041	DN390B LED6/830 PSU D100 ALU GM	0.12 %
911401578141	DN390B LED6/840 PSU D100 ALU GM	0.12 %
911401578241	DN390B LED6/865 PSU D100 ALU GM	0.12 %
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	0.12 %
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	0.12 %
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	0.12 %
911401577741	DN390B LED6/830 PSU D100 WH GM	0.12 %
911401577841	DN390B LED6/840 PSU D100 WH GM	0.12 %
911401577941	DN390B LED6/865 PSU D100 WH GM	0.12 %
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	0.16 %
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	0.16 %
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	0.16 %
911401578641	DN391B LED11/830 PSU D150 ALU GM	0.12 %
911401578741	DN391B LED11/840 PSU D150 ALU GM	0.12 %
911401578841	DN391B LED11/865 PSU D150 ALU GM	0.12 %
911401579241	DN392B LED16/830 PSU D150 ALU GM	0.16 %
911401579341	DN392B LED16/840 PSU D150 ALU GM	0.16 %
911401579441	DN392B LED16/865 PSU D150 ALU GM	0.16 %
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	0.12 %
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	0.12 %
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	0.12 %
911401581841	DN391B LED11/830 PSD D150 ALU GM	0.12 %
911401581941	DN391B LED11/840 PSD D150 ALU GM	0.12 %
911401585741	DN392B LED16/840 PSD D150 ALU GM	0.16 %
911401578341	DN391B LED11/830 PSU D150 WH GM	0.12 %
911401578441	DN391B LED11/840 PSU D150 WH GM	0.12 %
911401578541	DN391B LED11/865 PSU D150 WH GM	0.12 %
911401578941	DN392B LED16/830 PSU D150 WH GM	0.16 %
911401579041	DN392B LED16/840 PSU D150 WH GM	0.16 %

Order Code	Full Product Name	Driver failure rate at 5000 h
911401579141	DN392B LED16/865 PSU D150 WH GM	0.16 %
911401581641	DN391B LED11/830 PSD D150 WH GM	0.12 %
911401581741	DN391B LED11/840 PSD D150 WH GM	0.12 %
911401585441	DN392B LED16/830 PSD D150 WH GM	0.16 %
911401585541	DN392B LED16/840 PSD D150 WH GM	0.16 %
911401579841	DN392B LED16/830 PSU D200 ALU GM	0.16 %
911401579941	DN392B LED16/840 PSU D200 ALU GM	0.16 %
911401580041	DN392B LED16/865 PSU D200 ALU GM	0.16 %
911401580441	DN393B LED22/830 PSU D200 ALU GM	0.12 %
911401580541	DN393B LED22/840 PSU D200 ALU GM	0.12 %
911401580641	DN393B LED22/865 PSU D200 ALU GM	0.12 %
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	0.12 %
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	0.12 %
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	0.12 %
911401582241	DN392B LED16/830 PSD D200 ALU GM	0.16 %
911401582341	DN392B LED16/840 PSD D200 ALU GM	0.16 %
911401582641	DN393B LED22/830 PSD D200 ALU GM	0.12 %
911401582741	DN393B LED22/840 PSD D200 ALU GM	0.12 %
911401579541	DN392B LED16/830 PSU D200 WH GM	0.16 %
911401579641	DN392B LED16/840 PSU D200 WH GM	0.16 %
911401579741	DN392B LED16/865 PSU D200 WH GM	0.16 %
911401580141	DN393B LED22/830 PSU D200 WH GM	0.12 %
911401580241	DN393B LED22/840 PSU D200 WH GM	0.12 %
911401580341	DN393B LED22/865 PSU D200 WH GM	0.12 %
911401582041	DN392B LED16/830 PSD D200 WH GM	0.16 %
911401582141	DN392B LED16/840 PSD D200 WH GM	0.16 %
911401582441	DN393B LED22/830 PSD D200 WH GM	0.12 %
911401582541	DN393B LED22/840 PSD D200 WH GM	0.12 %

Application Conditions

Order Code	Full Product Name	Maximum dim level	Order Code	Full Product Name	Maximum dim level
911401578041	DN390B LED6/830 PSU D100 ALU GM	Not applicable	911401579141	DN392B LED16/865 PSU D150 WH GM	Not applicable
911401578141	DN390B LED6/840 PSU D100 ALU GM	Not applicable	911401581641	DN391B LED11/830 PSD D150 WH GM	-
911401578241	DN390B LED6/865 PSU D100 ALU GM	Not applicable	911401581741	DN391B LED11/840 PSD D150 WH GM	-
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	Not applicable	911401585441	DN392B LED16/830 PSD D150 WH GM	-
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	Not applicable	911401585541	DN392B LED16/840 PSD D150 WH GM	-
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	Not applicable	911401579841	DN392B LED16/830 PSU D200 ALU GM	Not applicable
911401577741	DN390B LED6/830 PSU D100 WH GM	Not applicable	911401579941	DN392B LED16/840 PSU D200 ALU GM	Not applicable
911401577841	DN390B LED6/840 PSU D100 WH GM	Not applicable	911401580041	DN392B LED16/865 PSU D200 ALU GM	Not applicable
911401577941	DN390B LED6/865 PSU D100 WH GM	Not applicable	911401580441	DN393B LED22/830 PSU D200 ALU GM	Not applicable
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	Not applicable	911401580541	DN393B LED22/840 PSU D200 ALU GM	Not applicable
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	Not applicable	911401580641	DN393B LED22/865 PSU D200 ALU GM	Not applicable
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	Not applicable	911401581341	DN393B LED22/830 PSU D200 ALU WP GM	Not applicable
911401578641	DN391B LED11/830 PSU D150 ALU GM	Not applicable	911401581441	DN393B LED22/840 PSU D200 ALU WP GM	Not applicable
911401578741	DN391B LED11/840 PSU D150 ALU GM	Not applicable	911401581541	DN393B LED22/865 PSU D200 ALU WP GM	Not applicable
911401578841	DN391B LED11/865 PSU D150 ALU GM	Not applicable	911401582241	DN392B LED16/830 PSD D200 ALU GM	-
911401579241	DN392B LED16/830 PSU D150 ALU GM	Not applicable	911401582341	DN392B LED16/840 PSD D200 ALU GM	-
911401579341	DN392B LED16/840 PSU D150 ALU GM	Not applicable	911401582641	DN393B LED22/830 PSD D200 ALU GM	-
911401579441	DN392B LED16/865 PSU D150 ALU GM	Not applicable	911401582741	DN393B LED22/840 PSD D200 ALU GM	-
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	Not applicable	911401579541	DN392B LED16/830 PSU D200 WH GM	Not applicable
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	Not applicable	911401579641	DN392B LED16/840 PSU D200 WH GM	Not applicable
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	Not applicable	911401579741	DN392B LED16/865 PSU D200 WH GM	Not applicable
911401581841	DN391B LED11/830 PSD D150 ALU GM	-	911401580141	DN393B LED22/830 PSU D200 WH GM	Not applicable
911401581941	DN391B LED11/840 PSD D150 ALU GM	-	911401580241	DN393B LED22/840 PSU D200 WH GM	Not applicable
911401585741	DN392B LED16/840 PSD D150 ALU GM	-	911401580341	DN393B LED22/865 PSU D200 WH GM	Not applicable
911401578341	DN391B LED11/830 PSU D150 WH GM	Not applicable	911401582041	DN392B LED16/830 PSD D200 WH GM	-
911401578441	DN391B LED11/840 PSU D150 WH GM	Not applicable	911401582141	DN392B LED16/840 PSD D200 WH GM	-
911401578541	DN391B LED11/865 PSU D150 WH GM	Not applicable	911401582441	DN393B LED22/830 PSD D200 WH GM	-
911401578941	DN392B LED16/830 PSU D150 WH GM	Not applicable	911401582541	DN393B LED22/840 PSD D200 WH GM	-
911401579041	DN392B LED16/840 PSU D150 WH GM	Not applicable			

