



TL-D LIFEMAX Super 80

TL-D 30W/830 1SL/25


The TL-D LIFEMAX Super 80 lamp offers more lumens per watt and better color rendering than TL-D standard colors. Furthermore, it has a lower mercury content. The lamp can be operated in existing TL-D luminaires.

Product data

Operating and Electrical		Mechanical and Housing	
Power Consumption	30 W	Bulb Shape	T8 [26 mm (T8)]
Lamp Current (Nom)	0.360 A		
Voltage (Nom)	98 V	Approval and Application	
Voltage (Nom)	98 V	Mercury (Hg) Content (Nom)	2.0 mg
General Information		Product Data	
Cap-Base	G13 [Medium Bi-Pin Fluorescent]	Full product code	871150028582900
Brand	Philips	Order product name	TL-D 30W/830 1SL/25
Light Technical		Order code	927981283036
Color Code	830 [CCT of 3000K]	Numerator - Quantity Per Pack	1
Color Designation	Warm White (WW)	Numerator - Packs per outer box	25
Correlated Color Temperature (Nom)	3000 K	Material number (12NC)	927981283036
Luminous Efficacy (rated) (Nom)	80 lm/W	Net weight	0.130 kg
Color rendering index (CRI)	83	Full product name	TL-D 30W/830 1SL/25
Controls and Dimming		EAN/UPC - Case	8711500285867
Dimmable	Yes		


TL-D LIFEMAX Super 80

Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
TL-D 30W/830 1SL/25	28 mm	894.6 mm	901.7 mm	899.3 mm	908.8 mm

Photometric data




Spectral Power Distribution Colour - TL-D 30W/830 1SL/25

Lifetime




Life Expectancy Diagram - TL-D 30W/830 1SL/25



Life Expectancy Diagram - TL-D 30W/830 1SL/25

TL-D LIFEMAX Super 80

Lifetime



Lumen Maintenance Diagram - TL-D 30W/830 1SL/25

