



# HPI-T High Wattage

## HPI-T 1000W/543 E40 1SL/4

Quartz metal halide lamps with clear outer bulb

### Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- For use with control gear designed for high-pressure mercury lamps
- For use with control gear designed for high-pressure mercury lamps
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### Product data

Operating and Electrical		Chromaticity Coordinate X (Nom)		370
Power Consumption	990 W	Chromaticity Coordinate Y (Nom)	380	
Voltage (Nom)	130 V	Correlated Color Temperature (Nom)	4300 K	
Voltage (Nom)	130 V	Luminous Efficacy (rated) (Nom)	83 lm/W	
		Color rendering index (CRI)	57	
General Information		Controls and Dimming		
Cap-Base	E40 [E40]	Dimmable	No	
Operating Position	P [Parallel or Horizontal(HOR)]			
Light Technical		Mechanical and Housing		
Color Code	543 [CCT of 4300K]	Bulb Finish	Clear	
Color Designation	Cool White (CW)			

## HPI-T High Wattage

Bulb Shape	T65 [T 65mm]
------------	--------------

### Approval and Application

Mercury (Hg) Content (Nom)	86 mg
Energy Consumption kWh/1000 h	1089 kWh

### Product Data

Full product code	871150018373645
Order product name	HPI-T 1000W/543 E40 1SL/4

Order code	928482600096
------------	--------------

Numerator - Quantity Per Pack	1
-------------------------------	---


Numerator - Packs per outer box	4
---------------------------------	---

Material number (12NC)	928482600096
------------------------	--------------

Full product name	HPI-T 1000W/543 E40 1SL/4
-------------------	---------------------------


EAN/UPC - Case	8711500183743
----------------	---------------

## Dimensional drawing



Product	D (max)	O	L	C (max)
HPI-T 1000W/543 E40 1SL/4	66 mm	80 mm	240 mm	382 mm



## Photometric data



Spectral Power Distribution Colour - HPI-T 1000W/543 E40 1SL/4

## HPI-T High Wattage

### Lifetime



Life Expectancy Diagram - HPI-T 1000W/543 E40 1SL/4

Lumen Maintenance Diagram - HPI-T 1000W/543 E40 1SL/4

