



MASTER Glass LED bulbs

MAS LEDBulb DT5.9-60W E27 927 A60 FR G

Featuring a classic heritage design, classic filament LED lamps combine the familiar shapes of incandescent bulbs with the benefits of the long-lasting LED technology. It is an ideal product to provide customers with a cosy atmosphere. The MASTER LED bulbs can be dimmed to different lumen levels and colour temperatures. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED. They provide excellent quality of light. By offering a lifetime of 25,000 hours, the lamps reduce maintenance costs.

Product data

General Information	
Cap base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	25000 h
Switching cycle	20,000X
	Sphere
Light Technical	
Colour Code	922-927 [CCT of 2,200 K-2,700 K]
Lamp Luminous Flux 25°C EL (Nom)	806 lm
Colour Designation	Warm Glow (WG)
Colour Temperature, horizontal (Nom)	2200 2700 K
Lamp Luminous Efficacy EM (Nom)	136.00 lm/W
Colour consistency	<6
Colour Rendering Index,horiz (Nom)	90
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	5.9 W
Lamp current (nom.)	40 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.6
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	70 °C
Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60mm]

MASTER Glass LED bulbs

Approval and Application


Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	6 kWh
	453247

Product Data

Full product code	871951432475600
Order product name	MAS LEDBulb DT5.9-60W E27 927 A60 FR G

EAN/UPC – product	8719514324756
Order code	929003010402
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003010402
SAP net weight (piece)	0.030 kg



Dimensional drawing



Bulb A60 EU 6-60W 810lm WG E27 FR


Product	D	C
MAS LEDBulb DT5.9-60W E27 927 A60 FR G	60 mm	104 mm

Photometric data



LEDbulb MAS SLR 5,9W A60 E27 927 CL-POC



LEDbulb MAS SLR 5,9W A60 E27 927 FR-GUL



LEDbulb MAS SLR A60 5,9W E27 927 FR-LDD

MASTER Glass LED bulbs

Lifetime



LEDspots LED 25K

LEDspots LMP 25K

