



MASTER LEDspot ExpertColor AR111

MAS LEDExpertColor 20-100W 927 AR111 45D

The MASTER LEDspot LV ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. It creates ambience with superior lighting that has a customised spectrum, high CRI and deep dimming features. The result? A beautiful lighting experience. What's more, the innovative, trimless lens design will also suit almost any interior decor with its clean and neat look. In addition, you can take advantage of the full ExpertColor family, which also includes LEDspot LV and LEDspot Par lamps.

Product data

| General information | |
|--|-----------------------|
| Cap base | G53 [G53] |
| EU RoHS compliant | Yes |
| Nominal lifetime (nom.) | 40000 h |
| Switching cycle | 50,000X |
| | |
| Light technical | |
| Colour Code | 927 [CCT of 2,700 K] |
| Technical Beam Angle (Nom) | 45 ° |
| Lamp Luminous Flux 25°C EL (Nom) | 1500 lm |
| Luminous intensity (nom.) | 2100 cd |
| Colour Designation | Warm white (WW) |
| Colour Temperature, horizontal (Nom) | 2700 K |
| Lamp Luminous Efficacy EM (Nom) | 75.00 lm/W |
| Colour consistency | <4 |
| Colour Rendering Index,horiz (Nom) | 97 |
| LLMF at end of nominal lifetime (nom.) | 70 % |
| | |

| Operating and electrical | | | |
|----------------------------------|----------------------------|--|--|
| Input frequency | 50 to 60 Hz | | |
| Power (Rated) (Nom) | 20 W | | |
| Lamp current (nom.) | 2000 mA | | |
| Wattage equivalent | 100 W | | |
| Starting time (nom.) | 0.5 s | | |
| Warm-up time to 60% light (nom.) | 0.5 s | | |
| Power factor (nom.) | 0.7 | | |
| Voltage (Nom) | 12 V | | |
| | | | |
| Temperature | | | |
| T-ambient (max.) | 45 °C | | |
| T-ambient (min.) | -20 ℃ | | |
| T-Case maximum (nom.) | 77 °C | | |
| | | | |
| Controls and dimming | | | |
| Dimmable | Only with specific dimmers | | |
| | | | |


Datasheet, 2022, November 2 data subject to change

MASTER LEDspot ExpertColor AR111

| Mechanical and housing | | |
|------------------------------|-----------------|--|
| Lamp Finish | Clear | |
| Bulb shape | AR111 | |
| | | |
| Approval and application | | |
| Suitable for accent lighting | Yes | |
| | | |
| Product data | | |
| Full product code | 871951444879700 | |
| | | |


| Order product name | MAS LEDExpertColor 20-100W 927 AR111 45D | |
|-----------------------------------|--|--|
| EAN/UPC – product | 8719514448797 | |
| Order code | 929003478908 | |
| SAP numerator – quantity per pack | 1 | |
| Numerator – packs per outer box | 6 | |
| SAP material | 929003478908 | |
| Net Weight (Piece) | 0.162 kg | |
| | | |


Dimensional drawing




| Product | D | С |
|--|--------|-------|
| MAS LEDExpertColor 20-100W 927 AR111 45D | 111 mm | 62 mm |

Photometric data






Accent Lighting Spots



Light Distribution Diagram


MASTER LEDspot ExpertColor AR111


Photometric data



Spectral Power Distribution Colour

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.