



TMS011

TMS011

An indoor luminaire in single and twin fluorescent lamp versions for general lighting. The range is available with TLD 18W, 36W or 58W lamps for surface-mounted applications. The luminaires can be suspended or direct ceiling mounted. A range of attractive attachments is also available.

Features

- A high quality luminaire with enhanced safety
- Easy installation and maintenance
- Philips ballast is pre-wired inside the luminaire
- The starter is also provided

Application

- Discount stores
- Hyper- and supermarkets
- DIY stores
- Convenient stores
- Coves
- Home lighting
- General industries

TMS011

Versions



General Information

| | |
|----------------------|--------------------|
| Protection class IEC | Safety class I (I) |
| Lamp family code | TL-D |

Approval and Application

| Order Code | Full Product Name | Ingress protection code |
|--------------|----------------------|-------------------------|
| 911400857180 | TMS011 1xTL-D36W | IP20 |
| 911400857280 | TMS011 2xTL-D36W I | IP20 |
| 911400857480 | TMS011 1xTL-D36W IC | - |
| 911400857580 | TMS011 2xTL-D36W IC | - |
| 911400857680 | TMS011 1xTL-D18W | IP20 |
| 911400857780 | TMS011 2xTL-D18W I | IP20 |
| 911400857980 | TMS011 2xTL-D18W IC | - |
| 911400858080 | TMS011 1xTL-D36W I R | IP20 |

| Order Code | Full Product Name | Ingress protection code |
|--------------|-----------------------|-------------------------|
| 911400858180 | TMS011 1xTL-D36W IC R | - |
| 911400858280 | TMS011 2xTL-D36W I R | IP20 |
| 911400858380 | TMS011 2xTL-D36W IC R | - |
| 911400858580 | TMS011 1xTL-D18W IC R | - |
| 911400859680 | TMS011 2xTL-D58W I R | IP20 |
| 911400860180 | TMS011 1xTL-D18W I P | IP20 |
| 911400860480 | TMS011 1xTL-D36W I P | IP20 |
| 911400860580 | TMS011 1xTL-D36W IC P | - |

Operating and Electrical

| Order Code | Full Product Name | Input Voltage |
|--------------|----------------------|---------------|
| 911400857180 | TMS011 1xTL-D36W | 220 V |
| 911400857280 | TMS011 2xTL-D36W I | - |
| 911400857480 | TMS011 1xTL-D36W IC | - |
| 911400857580 | TMS011 2xTL-D36W IC | - |
| 911400857680 | TMS011 1xTL-D18W | 220 V |
| 911400857780 | TMS011 2xTL-D18W I | - |
| 911400857980 | TMS011 2xTL-D18W IC | - |
| 911400858080 | TMS011 1xTL-D36W I R | - |

| Order Code | Full Product Name | Input Voltage |
|--------------|-----------------------|---------------|
| 911400858180 | TMS011 1xTL-D36W IC R | - |
| 911400858280 | TMS011 2xTL-D36W I R | - |
| 911400858380 | TMS011 2xTL-D36W IC R | - |
| 911400858580 | TMS011 1xTL-D18W IC R | - |
| 911400859680 | TMS011 2xTL-D58W I R | - |
| 911400860180 | TMS011 1xTL-D18W I P | - |
| 911400860480 | TMS011 1xTL-D36W I P | - |
| 911400860580 | TMS011 1xTL-D36W IC P | - |


General Information

| Order Code | Full Product Name | Compensation circuit | Optical cover/lens type | Gear | Lamp power | Number of light sources | Optic type |
|--------------|---------------------|--------------------------------|-------------------------|------|------------|-------------------------|------------|
| 911400857180 | TMS011 1xTL-D36W | - | No | - | 36 W | 1 | No |
| 911400857280 | TMS011 2xTL-D36W I | Inductive | No | CONV | 36 W | 2 | No |
| 911400857480 | TMS011 1xTL-D36W IC | Inductive parallel compensated | No | CONV | 36 W | 1 | No |
| 911400857580 | TMS011 2xTL-D36W IC | Inductive parallel compensated | No | CONV | 36 W | 2 | No |
| 911400857680 | TMS011 1xTL-D18W | - | No | - | 18 W | 1 | No |
| 911400857780 | TMS011 2xTL-D18W I | Inductive | No | CONV | 18 W | 2 | No |
| 911400857980 | TMS011 2xTL-D18W IC | Inductive parallel compensated | No | CONV | 18 W | 2 | No |

TMS011

| Order Code | Full Product Name | Compensation circuit | Optical cover/lens type | Gear | Lamp power | Number of light sources | Optic type |
|--------------|-----------------------|--------------------------------|-------------------------|------|------------|-------------------------|------------|
| 911400858080 | TMS011 1xTL-D36W I R | Inductive | No | CONV | 36 W | 1 | R |
| 911400858180 | TMS011 1xTL-D36W IC R | Inductive parallel compensated | No | CONV | 36 W | 1 | R |
| 911400858280 | TMS011 2xTL-D36W I R | Inductive | No | CONV | 36 W | 2 | R |
| 911400858380 | TMS011 2xTL-D36W IC R | Inductive parallel compensated | No | CONV | 36 W | 2 | R |
| 911400858580 | TMS011 1xTL-D18W IC R | Inductive parallel compensated | No | CONV | 18 W | 1 | R |
| 911400859680 | TMS011 2xTL-D58W I R | Inductive | No | CONV | 58 W | 2 | R |
| 911400860180 | TMS011 1xTL-D18W I P | Inductive | P | CONV | 18 W | 1 | A |
| 911400860480 | TMS011 1xTL-D36W I P | Inductive | P | CONV | 36 W | 1 | A |
| 911400860580 | TMS011 1xTL-D36W IC P | Inductive parallel compensated | P | CONV | 36 W | 1 | A |

Polar Wide Diagrams



IFPS_TMS011 1xTL-D36W HFE-Polar Normal
 (separate)

